



## In association with Gradient Flat Roofing

Langley House, Lamport Drive, Heartlands Bus Park  
Daventry, Northants, NN11 8YH

01327 708993  
technical@langley.co.uk

### Project Information

Reference UCS17155AP  
Date 10 April 2025  
Client Lewis Bolton  
Langley Waterproofing  
Daventry  
Northamptonshire  
NN11 8YH  
Project Great Cliff  
Tel: 07955 405212  
Email: l.bolton@langley.co.uk

### Construction Type

Element : Flat roof - Roof 01 & 02 existing - 3.94

Internal surface emissivity : High External surface emissivity : High

	Thickness (mm)	Thermal Conductivity (W/mK)	Thermal Resistance (m <sup>2</sup> K/W)	Pitch (°)	Bridge details Air gaps (Level, Delta U")
Outside surface resistance	-	-	0.040		
EPDM	2.0	0.250	0.008		
Timber	18.0	0.170	0.106		
Inside surface resistance	-	-	0.100		

U-Value calculation for existing roof structure is indicative only. Thermal performance, moisture content and condition of existing materials cannot be guaranteed or accurately determined.

### U-value = 3.94W/m<sup>2</sup>K

U-value, Combined Method : 3.937W/m<sup>2</sup>K (upper/lower limit 0.254 / 0.254m<sup>2</sup>K/W, dUf 0.0000, dUg 0.0000, dUp0.0000, dUr0.0000, dUrc1 0.0000, dUrc2 0.0000)

### Correction factors

Air gaps, Delta Ug = 0.000W/m<sup>2</sup>K